ELSEVIER

Applied Acoustics 62 (2001) II–VIII

applied acoustics

www.elsevier.com/locate/apacoust

Contents of Volume 62

Number 1

1 Editorial
K. ATTENBOROUGH (UK)

3 Active noise control in ducts in presence of standing waves. Its influence on feedback effect
J. ROMEU, X. SALUEÑA, S. JIMÉNEZ, R. CAPDEVILA & L. COLL (Spain)

15 Development of audible locating signals for use at pedestrian crossings
G.R. WATTS, N.S. GODFREY & T.A. SAVILL (UK)

29 The contribution of long flanking paths to sound transmission in buildings
R.J.M. CRAIK (UK)

47 Narrow band active control of sound radiated from a baffled beam using local volume displacement minimization
M.B. ZAHUI, K. NAGHSHINEH & J.W. KAMMAN (USA)

Technical note

65 The utilisation of an adaptive 3D Gauss-Legendre quadrature in the simulation of sound propagation outdoors for sources with variable power distribution
S. ABDULLAH & M.J.M. NOR (Malaysia)

85 Book Review

87 Announcement

I Calendar

Number 2

Special Issue: **Spatial Impression in Concert Halls**

89 Guest editorial
JOHN BRADLEY (Canada)

91 Spatial responsiveness in concert halls and the origins of spatial impression
A.H. MARSHALL (New Zealand) & M. BARRON (UK)

109 The role of reflections from behind the listener in spatial impression
M. MORIMOTO, K. IIDA & K. SAKAGAMI (Japan)

125 Arrival direction of late sound and listener envelopment
H. FURUYA, K. FUJIMOTO, C. YOUNG JI & N. HIGA (Japan)

137 The effect of late reflections from above and behind on listener envelopment
P. EVJEN, J.S. BRADLEY & S.G. NORCROSS (Canada)

155 A new objective measure for evaluation of listener envelopment focusing on the spatial balance of reflections
T. HANYU & S. KIMURA (Japan)

185 Late lateral energy fractions and the envelopment question in concert halls
M. BARRON (UK)

203 A system for measuring the directional room acoustical parameters
H. OKUBO, M. OTANI, R. IKEZAWA, S. KOMIYAMA & K. NAKABAYASHI (Japan)

217 Synthetic soundfields for the rating of spatial perceptions
J. BECKER & M. SAPP (Germany)

I Calendar

Number 3

229 Coupled vibration analysis of fluid-filled cylindrical shells using the wave propagation approach
X.M. ZHANG, G.R. LIU & K.Y. LAM (Singapore)

245 Control of auditory distance perception based on the auditory parallax model
H.-Y. KIM, Y. SUZUKI, S. TAKANE & T. SONE (Japan)

271 A critical review of some traffic noise prediction models
C. STEELE (Australia)

289 Natural frequencies of edge restrained tapered isotropic and orthotropic rectangular plates with a central free hole
L.G. NALLIM & R. O. GROSSI (Argentina)

307 Sound transmission through single, double and triple glazing. Experimental evaluation
A.J.B. TADEU & D.M.R. MATEUS (Portugal)

Technical note

327 A scale model experiment for the study of sound propagation in urban areas
J. PICAUT & L. SIMON (France)

I Calendar

Number 4

341 FEM/BEM analysis of diesel piston-slap induced ship hull vibration and underwater noise
H. ZHENG, G.R. LIU, J.S. TAO & K.Y. LAM (Singapore)

359 Sound level forecasting for city-centers.
Part 1: sound level due to a road within an urban canyon
E. WALERIAN, R. JANCZUR & M. CZECHOWICZ (Poland)

381 Insertion loss of a helmholtz resonator in the intake system of internal combustion engines: an experimental and computational investigation
A. SELAMET, V. KOTHAMASU & J.M. NOVAK (USA)

411 Further assessment of the coupling load decomposition technique for the vibration analyses of planar coupled structures
L. CHENG & M. HATAM (Canada)

429 Measurement of sound radiation efficiency by the discrete calculation method
N. HASHIMOTO (Japan)

Technical note

447 Experimental study of the absorption characteristics of some porous fibrous materials
C.-N. WANG & J.-H. TORNG (Taiwan)

I Calendar

Number 5

461 Sound levels forecasting for city-centers
Part II: effect of source model parameters on sound level in built-up area
E. WALERIAN, R. JANCZUR & M. CZECHOWICZ (Poland)

493 Sound levels forecasting for city-centers
Part III: a road lane structure influence on sound level within urban canyon
R. JANCZUR, E. WALERIAN & M. CZECHOWICZ (Poland)

513 Optimisation of an active control system to reduce the exhaust noise radiated by a small generator
M. CUESTA & P. COBO (Spain)

527 Frequency analysis of cylindrical panels using a wave propagation approach
X.M. ZHANG, G.R. LIU & K.Y. LAM (Singapore)

545 A modified Itakura speech distortion measure based on auditory properties
CHEN GUO, HU XIULIN, ZHANG YUNYU & ZHU YAO TING (PR China)

555 An in situ transfer function technique for the assessment of the acoustic absorption of materials in buildings
G. DUTILLEUX (France), T.E. VIGRAN & U.R. KRISTIANSEN (Norway)

573 Sound radiation of a thin infinite plate in light and heavy fluids subject to multi-point excitation
J.S. TAO, G.R. LIU & K.Y. LAM (Singapore)

Technical note

589 A case study of flanking transmission through double structures
V. HONGISTO (Finland)

I Calendar

Number 6

601 Prediction and evaluation of impact sound transmission in apartment building structures by statistical energy analysis (SEA)
M.J. KIM, H.S. KIM & J.Y. SOHN (South Korea)

617 A method for measuring oblique incidence absorption coefficient of absorptive panels by stretched pulse technique
K. KIMURA & K. YAMAMOTO (Japan)

633 An experimental study on noise indices in air conditioned offices
U. AYR, E. CIRILLO & F. MARTELLOTTA (Italy)

645 Sound levels forecasting for city-centers
Part IV. Vehicles stream parameters influence on sound level distribution within a canyon street
R. JANCZUR, E. WALERIAN & M. CZECHOWICZ (Poland)

665 The effect of consolidation on the acoustic properties of loose rubber granulates
K.V. HOROSHENKOV & M.J. SWIFT (UK)

691 Vibratory characteristics of multi-step beams with an arbitrary number of cracks and concentrated masses
Q.S. LI (Hong Kong)

707 The application of boundary element evaluation on a silencer in the presence of a linear temperature gradient
C.-N. WANG, Y.-N. CHEN & J.-Y. TSAI (Taiwan)

717 Loudspeaker failure modes and error correction techniques
T.S. HSU & K.A. POORNIMA (Singapore)

735 Control of sound transmission through an aperture using active sound absorption techniques: a theoretical investigation
G.W. EMMS & C. FOX (New Zealand)

I Calendar

Number 7

749 Neural network predictions of speech levels in university classrooms
J. NANNARIELLO (Australia), M. HODGSON (Canada) & F.R. FRICKE (Australia)

769 Sound propagation attenuation in lined annular-variable area ducts using bulk-reacting liners
M.E. ALY & M.T.S. BADAWY (Egypt)

779 A small resistive axisymmetric object in the presence of an underwater point-source field
P.E. ERGATIS (Greece)

793 Acoustic properties of rigid-frame porous materials — an engineering perspective
M.J. BRENNAN (UK) & W.M. TO (Hong Kong)

813 Benefits of Vac Damps over adhesive bonded damping pads for impact noise control
A. ROSS, M. AMRAM & G. OSTIGUY (Canada)

831 Insertion loss of personal protective clothing
V.B. BIESEL & K.A. CUNEFARE (USA)

841 Estimation of object location and radius of curvature using ultrasonic sonar
A.Ş. SEKMEN (USA) & B. BARSHAN (Turkey)

867 Experimental measurement of surface mobility over a rectangular contact area subject to a uniform conphase velocity excitation
J. DAI (PR China) & J.C.S. LAI (Australia)

875 Acoustic simulation of rooms with boundaries of partially specular reflectivity
N. KORANY (Egypt), J. BLAUERT (Germany) & O. ABDEL ALIM (Egypt)

I Calendar

Number 8

889 Acoustic quality of theatres: correlations between experimental measures and subjective evaluations
A. FARINA (Italy)

917 The use of neural network analysis to predict the acoustic performance of large rooms Part I. Predictions of the parameter G utilizing numerical simulations
J. NANNARIELLO & F.R. FRICKE (Australia)

951 The use of neural network analysis to predict the acoustic performance of large rooms Part II. Predictions of the acoustical attributes of concert halls utilizing measured data
JOSEPH NANNARIELLO & FERGUS R. FRICKE (Australia)

979 Model-based acoustic substitution source methods for assessing shielding measures applied to trains
A.C. GEERLINGS (The Netherlands), D.J. THOMPSON (UK) & J.W. VERHEIJ (The Netherlands)

1001 Magneto-acoustic sensors for measurement of liquid temperature, viscosity and density
M.K. JAIN, S. SCHMIDT & C.A. GRIMES (USA)

Short communication

1013 Applicability of Thompson boundary conditions to obliquely incident acoustic waves
P.L. OSULLIVAN, R.S. REICHERT, S. BIRINGEN & J.E. HOWARD (USA)

Technical note

1019 Perturbational solution for quasi-axial propagation in a piezoelectric, continuously twisted, structurally chiral medium
A. LAKHTAKIA (USA)

I Calendar

Number 9

1025 Correlations between deficiencies in power window systems influencing sound quality and some psychoacoustic metrics
T.C. LIM (USA)

1049 Time-domain simulation of acoustic propagation in a lined duct
R.S. REICHERT & S. BIRINGEN (USA)

1069 Einflußparameter für die Ergebnisse mit der Quellsimulationstechnik
P.H.T. ZANNIN (Brazil)

1095 Modeling of the influence of the self noise on the array gain of a sonar system
C. AUDOLY & F. LANTÉRI (France)

1107 Sound diffraction by a partially inclined noise barrier
B.-J. JIN, H.-S. KIM, H.-J. KANG & J.-S. KIM (South Korea)

Technical note

1123 Measurement of the dynamic stiffness of recycled rubber based railway track mats according to the DB-TL 918.071 standard
L. LAPČIK JR., P. AUGUSTIN, A. PIŠTĚK & L. BUJNOCH (Czech Republic)

I Calendar

Number 10

1129 Pitch detection and formant analysis of Arabic speech processing
A. CHERIF, L. BOUAFIF & T. DABBABI (Tunisia)

1141 Noise sources and acoustic properties of workrooms in the plants of food-processing and pharmaceutical industry
J. CZUCHAJ, A. ŚLIWIŃSKI & K. ŚRODECKI (Poland)

1157 Performance of noise barriers with random edge profiles
W. SHAO, H.P. LEE & S.P. LIM (Singapore)

1171 Some observations on the application of the Rayleigh–Ritz method
R.O. GROSSI & C.M. ALBARRACÍN (Argentina)

1183 Interpretation of long term data measured continuously on long range sound propagation over sea surfaces
K. KONISHI & Z. MAEKAWA (Japan)

1211 Substructuring technique: improvement by means of singular value decomposition (SVD)
T.P. GIALAMAS, D.T. TSAHALIS (Greece), D. OTTE,
H. VAN DER AUWARAER (Belgium) & D.A. MANOLAS (Greece)

I Calendar

Number 11

1221 Vibration analysis of cross-ply laminated composite cylindrical shells using the wave propagation approach
X.M. ZHANG (Singapore)

1229 3D sound scattering by rigid barriers in the vicinity of tall buildings
L. GODINHO, J. ANTÓNIO & A. TADEU (Portugal)

1249 The effects on railway rolling noise of wave reflections in the rail and support stiffening due to the presence of multiple wheels
T.X. WU (China) & D.J. THOMPSON (UK)

1267 Redistribution of the low frequency acoustic modes of a room: a finite element-based optimisation method
C.I. PAPADOPOULOS (Greece)

1287 Measured and predicted acoustic performance of vertically louvred noise barriers
G.R. WATTS, D.C. HOTHERSALL & K.V. HOROSHENKOV (UK)

I Calendar

Number 12

1313 A method of evaluating surface diffusivity of rooms — I: computer modeling and field measurement
C.H. HAAN & K.W. KWON (South Korea)

1329 Sound scattering by a hard axisymmetric object in a double layered ocean
P.E. ERGATIS (Greece)

1347 Influence of water content in river sand on the self-brightening of acoustic waves
V.E. NAZAROV, A.V. RADOSTIN (Russia) & Y.A. STEPANYANTS (Australia)

1359 Application of time domain signal coding and artificial neural networks to passive acoustical identification of animals
E.D. CHESMORE (UK)

1375 Creating low-noise environments in communication rooms
H.V. FUCHS, X. ZHA, X. ZHOU & H. DROTLEFF (Germany)

1397 A neural network analysis of the effect of geometric variables on concert hall *G* values
J. NANNARIELLO & F.R. FRICKE (Australia)

I Calendar

II Contents of Volume 62